



Jerrold Everett Winandy, Principal Partner & CTO

Winandy & Associates LLC

960 157th Ave.. NE

Ham Lake, MN 55304 USA

<http://www.winandyassociates.com/>

608-234-8060 (Cell)

email=jerroldwinandy@gmail.com

<http://bbe.umn.edu/adjunct-faculty/jerroldwinandy>

Wood Science & Sustainability

List of Publications:

- W1. Winandy, Jerrold E. 2017. Relating wood chemistry and strength. Part II. Fundamental relationships between changes in wood chemistry and strength of wood. *Wood and Fibers Science* 49(1):2-11.
- W2. Winandy, Jerrold E. 2016. Relating wood chemistry and strength. Part I. Wood structure and chemistry. *Proc. Soc. of Wood Science and Technology*. Levan SM (ed). Pg.92-102. (*swst.org*) Monona WI. 277pg.
- W3. Winandy, Jerrold E.; Rowell, Roger M. 2013. Chemistry of wood strength. In: Rowell, Roger M. ed. *Handbook of wood chemistry and wood composites*, 2nd Ed.. Boca Raton FL: CRC Press LLC: 415-455, Chapter 11.
- W4. Piao, C., Winandy, J.E., Shupe.T.F. 2010. From hydrophilicity to hydrophobicity: A critical review. *Wood and Fibers Science* 42(4):490-510.
- W5. Sabo, R., Clausen, C.A., Winandy, J.E., Basta, A. 2008. Remediation and recycling of WBP-treated lumber for use as flakeboard. *Proc. American Wood Protection Association*. Vol. 104:256-266. AWPB Birmingham, AL.
(http://www.fpl.fs.fed.us/documnts/pdf2008/fpl_2008_sabo002.pdf)
- W6. Sabo, R., Clausen, C., Winandy, J.E. 2008. Thermochemical Remediation of Preservative-Treated Wood. IRG/WP- 50524. Stockholm, Sweden.
http://www.fpl.fs.fed.us/documnts/pdf2008/fpl_2008_sabo001.pdf
- W7. Winandy, J.E., Hatfield, C.H., 2007. Analysis of three-year Wisconsin temperature histories for roof systems using wood, wood-thermoplastic composite, and fiberglass shingles. *Forest Products Journal*. 57(9):87-96.
http://www.fpl.fs.fed.us/documnts/pdf2007/fpl_2007_winandy004.pdf
- W8. Kretschmann, D.E., J.Winandy, C.Clausen, M.Wiemann, R.Bergmann, R.Rowell, J.Zerbe, J.Beecher, R.White, D.McKeever, J.Howard. 2007. Wood. In: Kirk-Othmer *Encyclopedia of Chemical Technology*. New York : John Wiley & Sons, pg 59 (Online posting July 13, 2007.).
http://www.fpl.fs.fed.us/documnts/pdf2007/fpl_2007_kretschmann001.pdf

- W9. Winandy, Jerrold E.; Rowell, Roger M. 2005. Chemistry of wood strength. In: Rowell, Roger M. ed. Handbook of wood chemistry and wood composites. Boca Raton FL: CRC Press LLC: 303-347, Chapter 11.
http://www.fpl.fs.fed.us/documnts/pdf2005/fpl_2005_winandy004.pdf
- W10. Wegner, T.H., Winandy, J.E., Ritter, M.A. 2005. Nanotechnology opportunities in residential and non-residential construction. IN: 2nd International Symposium on Nanotechnology in Construction. Held 13-16 Nov2005, Bilbao, Spain. RILEM, Bagneuz, France 9p.
 (http://www.fpl.fs.fed.us/documnts/pdf2005/fpl_2005_wegner003.pdf)
- W11. Winandy, J. E., Grambsch, M., Hatfield C. 2005. Two-year Wisconsin thermal loads for roof assemblies and wood, wood-plastic composite, and fiberglass shingles. Research Note FPL-RN-0301. Madison, WI: United States Department of Agriculture, Forest Service, Forest Products Laboratory: 13p.
http://www.fpl.fs.fed.us/documnts/fplrn/fpl_rn301.pdf
- W12. Winandy, Jerrold E.; Barnes, H. Michael, Falk, Robert H. 2004. Summer roof temperatures of western red cedar, wood-plastic composite, and black- and white-fiberglass shingles. Forest Products Journal 54(11):27-33. (refereed)
http://www.fpl.fs.fed.us/documnts/pdf2004/fpl_2004_winandy002.pdf
- W13. Laufenberg, Theodore L.; Winandy, Jerrold E. 2004. Stabilized Engineered Wood Fiber (SEWF) Surfaces for Accessible Playground Areas: Field testing at Governor Nelson State Park in Wisconsin. In: Gen. Tech. Rep. FPL-GTR-154; U.S. Department of Agriculture, Forest Service, Forest Products Laboratory. 13p. (refereed)
http://www.fpl.fs.fed.us/documnts/fplgtr/fpl_gtr154.pdf
- W14. Williams, R.S., Lacher, S., Winandy, J. E., White, C. 2004. Comparison of traditional methods for testing paint service life with new methods for service life prediction. In: Proceedings of 3rd International Symposium on Surfacing and Finishing of Wood. Sponsored by IUFRO Division 5: Working Group 5.04.12 and held on November 24-26, 2004 in Kyoto, Japan. Pg. 167-190.
http://www.fpl.fs.fed.us/documnts/pdf2004/fpl_2004_williams005.pdf
- W15. Laufenberg, T., A.Krzysik, J.E.Winandy. 2003. Improving engineered wood fiber (EWF) surfaces for ADA-accessible playgrounds. USDA, For. Serv. Gen. Tech. Report FPL-GTR-135, Madison, WI. (refereed).
<http://www.fpl.fs.fed.us/documnts/fplgtr/fplgtr135.pdf>
- W16. Laufenberg, Theodore L.; Winandy, Jerrold E. 2003. Field Performance Testing of Improved Engineered Wood Fiber (EWF) Surfaces for Accessible Playground Areas. In: Gen. Tech. Rep. FPL-GTR-138; U.S. Department of Agriculture, Forest Service, Forest Products Laboratory. 14p. (refereed)
<http://www.fpl.fs.fed.us/documnts/fplgtr/fplgtr138.pdf>
- W17. Williams, R.S., J. E. Winandy, W. Feist. 2002. Correlation of adhesive strength with service life of paint applied to weathered wood. Proc. of 9th Durability of Building Materials Conference, held March 17-21, 2002 in Brisbane, Queensland, Australia. Vol II. (refereed). <http://www.fpl.fs.fed.us/documnts/pdf2002/willi02a.pdf>
- W18. Winandy, J. E., TenWolde, A., Falk, R.H., Barnes, H.M. 2002. Temperature histories of plywood roof sheathing and roof rafters as used in North American light-framed. In: Proc. of the 7th World Conference on Timber Engineering, Vol. 3:114-121. August 6-10,2002, Malaysia. <http://www.fpl.fs.fed.us/documnts/pdf2002/winan02b.pdf>

- W19. Winandy, J. E., H.M. Barnes, C.Hatfield.. 2000. Temperatures of Wood Roof Materials and Attics in Mississippi and Wisconsin. USDA, For. Serv. Res. Paper FPL-RP-589, Madison, WI. 24 pgs. (refereed). <http://www.fpl.fs.fed.us/documnts/fplrp/fplrp589.pdf>
- W20. Durbak, I., Green, D. W., Highley, T. L., Howard, J. L., McKeever, D. B., Miller, R. B., Pettersen, R. C., Rowell, R. M., Simpson, W. T., Skog, K. E., White, R. H., Winandy, J. E., Zerbe, J. I. 1998. Wood. In: Kirk-Othmer Encyclopedia of chemical technology, 4th Ed. Vol. 25:627-664. J.Wiley & Sons, NY, NY.
- W21. Green, D. W., J.E. Winandy, D. E. Kretschmann. 1999. Chapter 4: Mechanical Properties of Wood, USDA Gen. Tech. Report 113, Wood Handbook: Wood as an Engineering Material, Madison, WI. (refereed).
- W22. Stoker, D.L., J. E. Winandy, E. K. Achi. 1996. Engineering properties of two underutilized Cote de' Ivoire species: Adjouaba and Aniouketti. J. of Tropical Forest Science 2(1):114-124. (refereed).
<http://www.fpl.fs.fed.us/documnts/pdf1996/stoke96a.pdf>
- W23. Falk, R. H., K. A. McDonald, J. E. Winandy. 1995. Controlling Moisture in Deck Lumber. Fine Homebuilding. August/September 1995. p.70-71.
<http://www.fpl.fs.fed.us/documnts/pdf1997/falk97c.pdf>
- W24. Larsen, M. J., J. E. Winandy, F. Green. 1995. A proposed model of the tracheid cell wall having an inherent radial ultrastructure in the S₂ layer. Materials und Organism 29(3):197-210. (refereed). <http://www.fpl.fs.fed.us/documnts/pdf1995/larse95a.pdf>
- W25. McDonald, K. A., R. H. Falk, R. S. Williams, J. E. Winandy. 1995. Residential Wood Decks: Materials, Construction, & Finishing. Forest Products Society.Madison,WI. 93pg.
- W26. Winandy, J. E., R.Beaumont. 1995. Roof Temperatures in Simulated Attics. USDA, For. Serv. Res. Paper FPL-RP-543, Madison, WI. pg. 14. (refereed).
<http://www.fpl.fs.fed.us/documnts/fplrp/fplrp543.pdf>
- W27. Winandy, J. E. 1994. Wood Properties. In: Encyclopedia of Agricultural Science, C.J. Arntzen, ED. Academic Press. San Diego, CA. V4:549-561.
<http://www.fpl.fs.fed.us/documnts/pdf1994/winan94a.pdf>
- W28. Winandy, J. E., McDonald, K. A. 1993. Material Selection and Preservative Treatment for Outdoor Wooden Structures. Wood Design Focus 4(3):8-13.
<http://www.fpl.fs.fed.us/documnts/pdf1993/winan93b.pdf>
- W29. Ritter, M. and J. E. Winandy. 1990. Chapter 3: The properties of wood and structural wood products IN: U.S. Forest Serv. Timber Bridge Manual. M. Ritter, ed., USDA, Washington, DC.
- W30. Williams, R. S., J. E. Winandy, and W. C. Feist. 1987. Adhesion of paint to weathered wood. For. Prod. J. 37(11/12):29-31. (refereed).
<http://www.fpl.fs.fed.us/documnts/pdf1987/willi87b.pdf>
- W31. Williams, R. S., J. E. Winandy, and W. C. Feist. 1987. Paint adhesion to weathered wood. J. of Paint and Coatings Technology 59(749):43-49. (refereed).
<http://www.fpl.fs.fed.us/documnts/pdf1987/willi87a.pdf>
- W32. Bendtsen, B.A., W.J. James, C.C. Gerhards, J.E. Winandy, D.W. Green, M. Chudnoff, P.J. Giese. 1987. Chapter 4: Mechanical Properties of Wood, USDA Ag. Hdbk. #72, Wood Handbook: Wood as an Engineering Material, Madison, WI. (refereed).
- W33. Boone, R. S., J. E. Winandy, and B. A. Bendtsen. 1985. A technique for simulating lumber drying using small clear specimens. Forest Prod. J. 35(11/12):49-51. (refereed).
- W34. Winandy, J. E. 1984. Evaluation of live oak submerged underwater for 50 years and proposed for use in rebuilding the USS Constitution. Forest Prod. J. 34(51):61-63. (refereed). <http://www.fpl.fs.fed.us/documnts/pdf1984/winan84a.pdf>

- W35. Winandy, J. E., and R. M. Rowell. 1984. The chemistry of wood strength, Chapter 5 in The Chemistry of Solid Wood. R. M. Rowell, ed., Advances in Chemistry Series No. 207, American Chemical Society, Washington, DC.
- W36. Winandy, J. E. 1979. The feasibility of using FPL Press-Lam as upholstered furniture dimension stock, Part I. Furniture Manufacturing Management 25(3):29-32.
- W37. Winandy, J. E. 1979. The feasibility of using FPL Press-Lam as upholstered furniture dimension stock, Part II. Furniture Manufacturing Management 25(4):35-36.
- W38. Eckelman, C. A. and J. E. Winandy. 1979. Performance test for upholstered furniture frames. Furniture Manufacturing Management, 25(6):17-20.

Sustainability and Alternative Technology

- S1. Winandy J. 2018. Enhancing sustainability by integrated use of wood and natural fibers for energy, chemical feedstock and advanced materials. Forest Res Eng Int J. 2018:2(2):64–68. DOI: 10.15406/freij.2018.02.00027.
<https://medcraveonline.com/FREIJ/FREIJ-02-00027.pdf>
- S2. Winandy, J.E., Rudie, A.W., Williams, R.S., Ross, R.J. 2008. Chapter 10: Opportunities for using wood and biofibers for energy, chemical feedstocks, and structural applications. IN: Properties and performance of natural-fibre composites. K.L. Pickering, Editor. Woodhead Publishing. Cambridge, England.
http://www.fpl.fs.fed.us/documnts/pdf2008/fpl_2008_winandy004.pdf
- S3. Winandy, J.E., Rudie, A.W., Williams, R.S., Wegner, T.H. 2008. Integrated Biomass Technologies: A future vision for optimally using wood and biomass. Forest Products Journal 58(6):6-16.
http://www.fpl.fs.fed.us/documnts/pdf2008/fpl_2008_winandy003.pdf
- S4. Winandy, J., and Cai, Z. 2008. Potential of using anaerobically digested bovine biofiber as a fiber source for wood composites. BioResources 3(4):1244-1255. http://www.ncsu.edu/bioresources/BioRes_03/BioRes_03_4_1244_WinandyCai_Using_Anaerob_Dig_Bovine_Fiber_Compos_332.pdf
- S5. Spelter, H., Winandy, J., and Zauche, T. 2008. Anaerobically digested bovine biofiber as a source of fiber for particleboard manufacturing: An economic analysis. BioResources 3(4):1256-1266. http://www.fpl.fs.fed.us/documnts/pdf2008/fpl_2008_spelter002.pdf
- S6. Moya, L., Winandy, J.E., Tze, W.T.Z., Ramaswamy, S. 2008. Use of fire-impacted trees for oriented strandboards. Forest Products Journal 58(6):45-52. (refereed).
http://www.fpl.fs.fed.us/documnts/pdf2008/fpl_2008_moya001.pdf
- S7. Rockwood, D.L., Rudie, A.W., Ralph, S.A., Zhu, J.Y., Winandy, J.E. 2008. Energy product options for Eucalyptus species grown as short rotation woody crops. Int. J. Molecular Sciences 2008(9):1361-1378. (refereed).
http://www.fpl.fs.fed.us/documnts/pdf2008/fpl_2008_rockwood001.pdf
- S8. Winandy, J.E., Muehl, J.H., Glaeser, J.A., Schmidt, W. 2007. Chicken feather fiber as an additive in MDF composites. J. Natural Fibers 4(1):35-49. (refereed).
http://www.fpl.fs.fed.us/documnts/pdf2007/fpl_2007_winandy003.pdf
- S9. Winandy, J. E. 2006. Advanced wood- and bio-composites: Enhanced performance and sustainability. Proc. of 4th International conference on advanced materials and processes. University of Waikato, Hamilton, New Zealand. December 10-13, 2006. Keynote Paper. http://www.fpl.fs.fed.us/documnts/pdf2006/fpl_2006_winandy002.pdf
- S10. Hunt, John R.; Gu, Hongmei; Walsh, Philip; Winandy, Jerrold E. 2005. Development of new microwave-drying and straightening technology for low-value curved timber. Research Note FPL-RN-0296. Madison, WI: United States Department of Agriculture,

- Forest Service, Forest Products Laboratory: 4p.
http://www.fpl.fs.fed.us/documnts/fplrnfpl_rn296.pdf
- S11. Winandy, Jerrold E; Clemons, Craig M.; Stark, Nicole M.; Muehl, James H.; Williams, R. Sam. 2005. Evaluation and process development of salt cedar and juniper bio-composites as tools to utilize exotic and invasive species and restore native ecosystems. In: Proceedings of third international workshop on green composites, IWGC-3; 2005 March 16-17; Kyoto, Japan. Kyoto, Japan: 56-60.
http://www.fpl.fs.fed.us/documnts/pdf2005/fpl_2005_winandy001.pdf
- S12. Winandy, J.E., Wellwood, R., Hiziroglu, S.. 2005. Using wood composites as a tool for sustainable forestry. Proceedings of IUFRO XXII World Forestry Congress; August 8-13, 2005; Brisbane, Australia. In: Gen. Tech. Rep. FPL-GTR-163; U.S. Department of Agriculture, Forest Service, Forest Products Laboratory. 100p.
http://www.fpl.fs.fed.us/documnts/fplgtr/fpl_gtr163.pdf
- S13. Winandy, J.E. 2005. Advancing sustainable forestry by using engineered wood or bio-composites. IN: Proc. of IAWPS International Symposium on Wood Science and technology. Held November 27-30, 2005 in Yokohama, Japan. Japanese Wood Research Society. p104-105.
http://www.fpl.fs.fed.us/documnts/pdf2005/fpl_2005_winandy003.pdf
- S14. Winandy, J.E. 2005. Achieving resource sustainability and enhancing economic development through biomass utilization. IN: Proc. of International Workshop on Prefabricated Housing from Bamboo-based Panels. Held November 24-25, 2005 in Beijing, China. International Network for Bamboo and Rattan.
http://www.fpl.fs.fed.us/documnts/pdf2005/fpl_2005_winandy005.pdf
- S15. Winandy, J.E., Hiziroglu, S.. 2005. North American perspective on using wood composites as a tool for sustainable forestry. In: Gen. Tech. Rep. FPL-GTR-163; U.S. Department of Agriculture, Forest Service, Forest Products Laboratory. Pg2-8p.
http://www.fpl.fs.fed.us/documnts/fplgtr/fpl_gtr163.pdf
- S16. Winandy, J E., Muehl, J. H., Micales, J.A., Raina, A., Schmidt, W.; Potential of Chicken Feather Fiber in Wood MDF Composites. In: Proceedings of the 2nd Eco-Composites Conference, Paper P.20. European Society for Composite Materials. London UK. 1-2 Sept 2003. <http://www.fpl.fs.fed.us/documnts/pdf2003/winan03d.pdf>
- S17. Hamilton, T. E., Winandy, J. E. 1998. Focusing on environmental sensitivity in wood products research. In: Proc. Forestry towards the 21st Century—Forestry science and technology under the global strategy of sustainable development. Chinese Academy of Forestry. pg. 541-552. October 27-29, 1998. Beijing, China.
<http://www.fpl.fs.fed.us/documnts/pdf1998/hamil98a.pdf>